

Sample Received: **April 7, 2026**COA Issued: **April 13, 2026**

PRODUCT INFORMATION

Vendor: **La Peptides** Sample Name: **SELANK 10mg** Sample Type: **White lyophilized powder** Lot Number: **BATCH 1018** MW: **751.9 g/mol**


ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS**Purity:** RP-HPLC (214 nm)**Content:** HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: SELANK	SELANK	MALDI-MS	✓ Conforms
Content	10.43 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.583 min)

Mass Spectrum (MALDI-MS)

**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.Visit: <https://bioviridians.com/coa-search.html>

A handwritten signature in black ink that reads "Shane Straight".

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.