



Sample Received: **April 7, 2026**COA Issued: **April 13, 2026****PRODUCT INFORMATION**

Vendor: **La Peptides** Sample Name: **SEMAX 10mg** Sample Type: **White lyophilized powder** Lot Number: **BATCH 1018** MW: **813.9 g/mol**

ANALYTICAL METHODS**Identity:** Confirmed via MALDI-MS**Purity:** RP-HPLC (214 nm)**Content:** HPLC quantitation**TEST RESULTS**

| Specification | Result | Method | Status |
|-----------------|-------------|-------------------|------------|
| Identity: SEMAX | SEMAX | MALDI-MS | ✓ Conforms |
| Content | 11.56 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity | 99.8% | RP-HPLC (214 nm) | ✓ Conforms |
| Endotoxin | <0.05 EU/mL | <USP85> | ✓ Conforms |

ANALYTICAL DATAHPLC Chromatogram (Retention Time: 6.208 min)**Mass Spectrum (MALDI-MS)****Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.Visit: <https://bioviridians.com/coa-search.html>*Shane Straight***Shane Straight, M.S.**

Principal Chemist, Bioviridian Inc.